

Preh Touch Commander MC 12  
Preh Screen Commander MC 12  
multimedia base



Preh Touch Commander MC 12

Touchscreen with integrated power supply and loud speakers

Special Features

- Compact construction
- Flat screen 12,1" TFT with minimum 200 Cd/m<sup>2</sup>
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 pixels (SVGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- VGA-, mains and serial outputs (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Integrated power supply with power switch
- Color of housing: ivory, (similar RAL 9002) and black
- Adjustment angle 85°

Options

- TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Restaurants, fast food, hotels, gas stations, etc.

Preh Touch Commander MC 12  
Preh Screen Commander MC 12  
modular base



Preh Touch Commander MC 12

Modular touchscreen for open systems

Special Features


- Compact construction
- Flat screen 12,1" TFT with minimum 200 Cd/m<sup>2</sup>
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 pixels (SVGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black
- Adjustment angle 70°

Options

- Integrated MSR (base)
- MC keyboards can be connected to base
- TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Restaurants, fast food, hotels, gas stations, etc.



E. RUOSS-KISTLER AG

Kantonsstr. 55 8863 Buttikon Tel 055 444 13 21 Fax 055 444 14 94  
Homepage: [www.ruoss-kistler.ch](http://www.ruoss-kistler.ch) E-Mail: [handel@ruoss-kistler.ch](mailto:handel@ruoss-kistler.ch)

Preh Touch Commander MC 12  
Preh Screen Commander MC 12  
"pole mount"



Touchscreen with an example for adjustable telescope pedestal (pole mount)

Special Features

- Compact construction with universal adapter (VESA) for attaching various pedestals
- Flat screen 12,1" TFT with minimum 200 Cd/m<sup>2</sup>
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 points (SVGA)
- Analog resistive 5 wire touch technology
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black

Options

- TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Medical, retail, restaurants, fastfood, hotels, gas stations, etc.

Preh Touch Commander MC 12  
Preh Screen Commander MC 12  
"wall mount"



Touchscreen with an example for adjustable wall mount solutions

Special Features

- Compact construction with universal adapter (VESA) for attaching various wall adapters
- Flat screen 12,1" TFT with minimum 200 Cd/m<sup>2</sup>
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 points (SVGA)
- Analog resistive 5 wire touch technology
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black

Options

- TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Medical, retail, restaurants, fastfood, hotels, gas stations, etc.



RUOSS-KISTLER AG, Kantonsstrasse 55, 8863 Buttikon

Tel.: (+41) 055 464 35 15 Mail: [handel@ruoss-kistler.ch](mailto:handel@ruoss-kistler.ch)

Fax: (+41) 055 464 35 01 Internet: [www.ruoss-kistler.ch](http://www.ruoss-kistler.ch)

# Preh Touch Commander MC 15

multimedia base



Preh Screen Commander MC 15


15" touchscreen with integrated power supply, loudspeakers

## Special Features

- Compact construction
- Flat screen 15" - TFT with minimum 200 Cd/m<sup>2</sup>
- Resolution 1024 x 768 pixels (XGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- Video, power and serial ports (RS232)
- Dirt-, grease-, dust- and splash water resistant surface
- On Screen Display (OSD)
- Ergonomic, elegant design
- Integrated power supply with power switch
- Color of housing: ivory, (similar RAL 9002)
- Adjustment angle 85°
- Base with integrated speakers

## Applications

Medical, retail, cinema, hotels, restaurants, gas stations, etc.



## E. RUOSS-KISTLER AG

Kantonsstr. 55 8863 Buttikon Tel 055 444 13 21 Fax 055 444 14 94  
Homepage: [www.ruoss-kistler.ch](http://www.ruoss-kistler.ch) E-Mail: [handel@ruoss-kistler.ch](mailto:handel@ruoss-kistler.ch)